















## 6. ACKNOWLEDGEMENTS

This work is supported in part by the European Commission in the context of the FP7/NICT EU-JAPAN GreenICN project.

## 7. REFERENCES

- [1] Standards for efficient cryptography group (SECG), SEC4 Elliptic Curve Qu-Vanstone implicit Certificate Scheme (ECQV). v1.0, January 2013.
- [2] B. Ahlgren, C. Dannewitz, C. Imbrenda, D. Kutscher, and B. Ohlman. A survey of Information-Centric Networking. *IEEE Commun. Mag.*, 50(7):26–36, July 2012.
- [3] M. Ahmed, S. Traverso, P. Giaccone, E. Leonardi, and S. Niccolini. Analyzing the Performance of LRU Caches under Non-Stationary Traffic Patterns. *ArXiv, abs/1301.4909*, 2013.
- [4] P. Barford and M. Crovella. Generating representative web workloads for network and server performance evaluation. In *SIGMETRICS*, 1998.
- [5] M. Baugher, B. Davie, A. Narayanan, and D. Oran. Self-verifying names for read-only named data. *1st IEEE INFOCOM Nomen Workshop*, 2012.
- [6] L. Breslau, P. Cao, L. Fan, G. Phillips, and S. Shenker. Web caching and zipf-like distributions: Evidence and implications. In *IEEE INFOCOM*, pages 126–134, 1999.
- [7] Y. Chabchoub, C. Fricker, F. Guillemin, and P. Robert. Deterministic versus probabilistic packet sampling in the internet. In *20th international teletraffic conference, ITC20*, pages 678–689, 2007.
- [8] W. K. Chai, D. He, I. Psaras, and G. Pavlou. Cache "less for more" in information-centric networks. In *11th IFIP TC6 conf. on Networking*, pages 27–40, 2012.
- [9] H. Che, Y. Tung, and Z. Wang. Hierarchical Web caching systems: modeling, design and experimental results. *IEEE J. on Sel. Areas in Commun.*, 20(7):1305–1314, Sept. 2002.
- [10] E. G. Coffman, Jr. and P. J. Denning. *Operating Systems Theory*. Prentice Hall Professional Technical Reference, 1973.
- [11] A. Dan and D. F. Towsley. An Approximate Analysis of the LRU and FIFO Buffer Replacement Schemes. In *ACM SIGMETRICS*, pages 143–152, 1990.
- [12] L. Deng, Y. Gao, Y. Chen, and A. Kuzmanovic. Pollution attacks and defenses for internet caching systems. *Comput. Netw.*, 52(5), Apr. 2008.
- [13] ETSI. Network functions virtualisation - white paper. [portal.etsi.org/NFV/NFV\\_White\\_Paper.pdf](http://portal.etsi.org/NFV/NFV_White_Paper.pdf) oct. 2012.
- [14] R. Fonseca, V. Almeida, M. Crovella, and B. Abrahao. On the intrinsic locality properties of web reference streams. In *IEEE INFOCOM*, 2003.
- [15] R. C. Fonseca, V. A. F. Almeida, and M. Crovella. Locality in a web of streams. *Commun. ACM*, 48(1):82–88, 2005.
- [16] C. Fricker, P. Robert, and J. Roberts. A versatile and accurate approximation for LRU cache performance. In *24th international teletraffic conference, ITC24*, pages 1–8, 2012.
- [17] D. Galindo and F. Garcia. A Schnorr-like lightweight Identity-Based Signature scheme. *AFRICACRYPT 2009, LNCS 5580*, pages 135–148, 2009.
- [18] P. Gasti, G. Tsudik, E. Uzun, and L. Zhang. DoS and DDoS in Named-Data Networking. *ArXiv, abs/1208.0952*, 2012.
- [19] A. Ghodsi, T. Koponen, J. Rajahalme, P. Sarolahti, and S. Shenker. Naming in content-oriented architectures. In *1st ACM SIGCOMM ICN workshop*, 2011.
- [20] A. Ghodsi, S. Shenker, T. Koponen, A. Singla, B. Raghavan, and J. Wilcox. Information-Centric Networking: seeing the forest for the trees. In *10th ACM SIGCOMM HotNets*, 2011.
- [21] V. Jacobson, D. Smetters, J. Thornton, M. Plass, N. Briggs, and R. Braynard. Networking Named Content. In *5th ACM CoNext*, 2009.
- [22] P. R. Jelenković and A. Radovanović. Optimizing LRU Caching for Variable Document Sizes. *Comb. Probab. Comput.*, 13(4–5):627–643, 2004.
- [23] T. Koponen, M. Chawla, B.-G. Chun, A. Ermolinskiy, K. H. Kim, S. Shenker, and I. Stoica. A data-oriented (and beyond) network architecture. *SIGCOMM Comput. Commun. Rev.*, 37(4):181–192, 2007.
- [24] M. E. Kounavis, X. Kang, K. Grewal, M. Eszenyi, S. Gueron, and D. Durham. Encrypting the internet. *ACM SIGCOMM Computer Commun. Review*, 40(4):135–146, 2010.
- [25] N. Laoutaris, H. Che, and I. Stavrakakis. The LCD interconnection of LRU caches and its analysis. *Perf. Eval.*, 63(7):609–634, 2006.
- [26] T. Lauinger, N. Laoutaris, P. Rodriguez, T. Strufe, E. Biersack, and E. Kirda. Privacy risks in named data networking: what is the cost of performance? *SIGCOMM Comput. Commun. Rev.*, 42(5):54–57, Sept. 2012.
- [27] E. J. O’Neil, P. E. O’Neil, and G. Weikum. The LRU-K page replacement algorithm for database disk buffering. In *ACM SIGMOD*, pages 297–306, 1993.
- [28] G. Pallis and A. Vakali. Insight and perspectives for Content Delivery Networks. *Commun. ACM*, 49(1):101–106, Jan. 2006.
- [29] I. Psaras, W. K. Chai, and G. Pavlou. Probabilistic in-network caching for information-centric networks. In *2nd SIGCOMM ICN workshop*, pages 55–60, 2012.
- [30] S. Salsano, A. Detti, M. Cancellieri, M. Pomposini, and N. Blefari-Melazzi. Transport-layer issues in Information Centric Networks. In *2nd ACM SIGCOMM ICN workshop*, 2012.
- [31] D. Starobinski and D. Tse. Probabilistic methods for web caching. *Perf. Eval.*, 46(2-3):125–137, 2001.
- [32] M. Wählisch, T. C. Schmidt, and M. Vahlenkamp. Backscatter from the data plane – threats to stability and security in information-centric networking. *ArXiv abs/1205.4778*, 2012.
- [33] M. Xie, I. Widjaja, and H. Wang. Enhancing cache robustness for content-centric networking. In *IEEE INFOCOM*, pages 2426–2434, march 2012.
- [34] X. Zhang, K. Chang, H. Xiong, Y. Wen, G. Shi, and G. Wang. Towards name-based trust and security for content-centric network. *IEEE ICNP*, 2011.